

- Pimentel, D. y W. Dritschilo, J. Krummel y J. Kutzman. 1975. Energy and land constraints in food protein production. *Science* 190: 754-761.
- Pimentel, D. 1976. World food crisis: energy and pests. *Bull. Ent. Soc. Amer.* 33: 20-26.
- Putnam, A. R. y W. G. Duke. 1974. Biological suppression of weeds. Evidence for allelopathy in accessions of cucumber. *Science* 185: 370-372.
- Reyes, J. 1976. *Bidens pilosa* L. (Campanulales: compositae) una maleza con posibilidades de ser incluida en el control integrado de plagas de la caña de azúcar. Trabajo presentado en el Ier. Encuentro Regional sobre Interacciones Cultivos-Malezas-Insectos. CIAT. Palmira, Colombia.
- Rice, E. L. 1974. Allelopathy. Academic Press. New York, N.Y. 345 p.
- Sagar, G. R. 1974. On the ecology of weed control. In: *Biology in pest and disease control*. D. Price Jones y M. E. Solomon (eds.) John Wiley and Sons. New York, N.Y. pp. 42-58.
- Sweet, R. D., C. P. Yip, J. B. Scieczka. 1974. Crop varieties: can they suppress weeds? *New York's food and life sciences quarterly*. Vol. 7, N°3.
- Swettman, H. L. 1958. The principles of biological control. Brown Dubuque, Iowa.
- Wapshere, A. J. 1975. A protocol for programmes for biological control of weeds. *PANS* 21(3): 295-303.
- Young, J. A. y R. A. Evans. 1976. Responses of weed populations to human manipulations of the natural environment. *Weed Science*. 24(2): 186-190.

ABSTRACTS SECTION I

The following abstract was submitted for presentation but was not given. It has not received the critical review to which full length papers have been subjected.

—Editor.

INTEGRATING BIOLOGICAL CONTROL INTO AQUATIC PLANT MANAGEMENT—Robert D. Blackburn, Vice-President, Joyce Environmental Consultants, Inc., Casselberry, FL, U.S.A. The integration of biological control into an operational aquatic plant management program has increased the effectiveness and decreased the cost. Integration of biological control methods with chemical and/or mechanical methods has been evaluated on alligatorweed (*Alternanthera philoxeroides*) and several species of submersed aquatics in the southeastern United States. Success of the integration depends on environmental factors and the water body.