

Mycoherbicide for *Xanthium spinosum*

Bruce A. Auld

**Agricultural Research & Veterinary Centre, Forest Road, Orange, New South Wales 2800,
Australia**

The development of the fungus *Colletotrichum orbiculare* as a mycoherbicide for *Xanthium spinosum* is described. Following controlled environment studies (Auld *et al.* 1988, McRae and Auld 1988), field tests in crops and pastures were made (Auld *et al.* 1990a). Further controlled environment studies established the influence of stress factors on disease development (Auld *et al.* 1990b). Scale up fermentation and drying procedures have been developed with a commercial partner.

References

- Auld, B.A., C.F. McRae and M.M. Say. 1988. Possible control of *Xanthium spinosum* by a fungus. *Agriculture, Ecosystems and Environment* **21**: 219-23.
- McRae, C.F. and B.A. Auld. 1988. The influence of environmental factors on anthracnose of *Xanthium spinosum*. *Phytopathology* **78**:1182-6.
- Auld, B.A., M.M. Say, H.I. Ridings and J. Andrews. 1990a. Field applications of *Colletotrichum orbiculare* to control *Xanthium spinosum*. *Agriculture, Ecosystems and Environment* **32**:315-23.
- Auld, B.A., M.M. Say and G.D. Millar. 1990b. Influence of potential stress factors on anthracnose development on *Xanthium spinosum*. *Journal of applied Ecology* **27**:513-9.