

Other Nonnative Plants Invading Southern Forest And their Margins, Openings, Waterway Margins, Wetlands, and Stream, River, and Lake Banks According to <http://www.invasive.org/south/>

States where species occur in parentheses. Species on the Federal Noxious Weed List are denoted by "FED":

Invasive Trees

Common Name:	Scientific Name:
Earleaf acacia (FL)	<i>Acacia auriculiformis</i> A. Cunn. ex Benth.
Amur maple	<i>Acer ginnala</i> Maxim.
Norway maple	<i>Acer platanoides</i> L.
Woman's tongue (FL and TX)	<i>Albizia lebbek</i> (L.) Benth.
Deviltree (FL)	<i>Alstonia macrophylla</i> Wall. ex G. Don
Edible fig	<i>Ficus carica</i> L.
Chinese parasoltree	<i>Firmiana simplex</i> (L.) W. Wight
Paradise apple	<i>Malus pumila</i> Mill.
Melaleuca (FL and LA) FED	<i>Melaleuca quinquenervia</i> (Cav.) Blake
White mulberry	<i>Morus alba</i> L.
Japanese black pine	<i>Pinus thunbergii</i> Parl.
White poplar	<i>Populus alba</i> L.
Lombardy poplar	<i>Populus nigra</i> L.
Sweet cherry	<i>Prunus avium</i> (L.) L.
Cherry plum (TN)	<i>Prunus cerasifera</i> Ehrh.
Sour cherry	<i>Prunus cerasus</i> L.
European plum (TX)	<i>Prunus domestica</i> L.
Cherry laurel	<i>Prunus laurocerasus</i> L.
Perfumed cherry, Maheleb	<i>Prunus mahaleb</i> L.
Sawtooth oak	<i>Quercus acutissima</i> Carruthers
Rose myrtle (FL)	<i>Rhodomyrtus tomentosus</i> (Aiton) Hassk.
Octopus tree, schefflera (FL)	<i>Schefflera actinophylla</i> (Endl.) Harms
Peruvian peppertree (FL, AL, and TX)	<i>Schinus molle</i> L.
Java plum	<i>Syzygium cumini</i> (L.) Skeels
African tamarisk (TX, LA, and SC)	<i>Tamarix africana</i> Poir.
Russian tamarisk	<i>Tamarix aralensis</i> Willd.
Canary Island tamarisk (LA, GA, SC, and NC)	<i>Tamarix canariensis</i> Lour.
Five-stamen tamarisk (TX, OK, AR, and NC)	<i>Tamarix chinensis</i> Lour.
French tamarisk, salt-cedar	<i>Tamarix gallica</i> L.
Smallflower tamarisk	<i>Tamarix parviflora</i> DC.
Saltcedar, tamarisk	<i>Tamarix ramosissima</i> Ledeb.
Four-stamen tamarisk (GA)	<i>Tamarix tetragyna</i> C. Ehrenb.
Siberian elm	<i>Ulmus pumila</i> L.
Common jujube	<i>Ziziphus zizyphus</i> Mill.

Invasive Shrubs

Common Name:	Scientific Name:
Butterfly bush	<i>Buddleja davidii</i> Franch.
Surinam cherry	<i>Eugenia uniflora</i> L.
Rose of Sharon	<i>Hibiscus syriacus</i> L.
Lantana	<i>Lantana camara</i> L.
White leadtree	<i>Leucaena leucocephala</i> (Lam.) de Wit
Puerto Rico sensitive-briar (TX)	<i>Mimosa asperata</i> L.
Lollipop mimosa, catclaw mimosa (FL and TX)	<i>Mimosa pellita</i> Kunth ex Willd.
Tree tobacco	<i>Nicotiana glauca</i> Graham
Guava (FL and LA)	<i>Psidium guajava</i> L.
Scarlet firethorn	<i>Pyracantha coccinea</i> M. Roem.
Formosa firethorn	<i>Pyracantha koidzumii</i> (Hayata) Rehder
Common pear	<i>Pyrus communis</i> L.
Jetbead	<i>Rhodotypos scandens</i> (Thunb.) Makino
Castorbean	<i>Ricinus communis</i> L.
Wineberry, wine raspberry	<i>Rubus phoenicolasius</i> Maxim.
Linden arrowwood (VA)	<i>Viburnum dilatatum</i> Thunb.

Invasive Vines

Common Name:	Scientific Name:
Coral vine	<i>Antigonon leptopus</i> Hook. & Arn.
Sweet autumn virginsbower	<i>Clematis terniflora</i> DC.
Japanese hops	<i>Humulus japonicus</i> Siebold & Zucc.
Gloria de la manana	<i>Ipomoea carnea</i> Jacq. ssp. <i>fistulosa</i> (Mart. ex Choisy) D. Austin
Redstar, red morning-glory	<i>Ipomoea coccinea</i> L.
Ivyleaf morning-glory	<i>Ipomoea hederacea</i> Jacq.
Tall morning-glory	<i>Ipomoea purpurea</i> (L.) Roth
Catclawvine	<i>Macfadyena unguis-cati</i> (L.) A.H. Gentry
Stinkvine, skunk vine	<i>Paederia foetida</i> L.
Jamaican feverplant (FL and LA)	<i>Tribulus cistoides</i> L.
Puncturevine	<i>Tribulus terrestris</i> L.

Other Nonnative Plants Invading Southern Forest And their Margins, Openings, Waterway Margins, Wetlands, and Stream, River, and Lake Banks According to <http://www.invasive.org/south/>

States where species occur in parentheses. Species on the Federal Noxious Weed List are denoted by "FED" (continued)

Invasive Grasses, Canes, and Grasslikes

Common Name:	Scientific Name:
Jointed goatgrass	<i>Aegilops cylindrica</i> Host
Crested wheatgrass	<i>Agropyron cristatum</i> (L.) Gaertn.
Desert wheatgrass (TX)	<i>Agropyron desertorum</i> (Fisch. ex Link) J.A. Schult.
Colonial bentgrass	<i>Agrostis capillaris</i> L.
Redtop	<i>Agrostis gigantea</i> Roth
Tall oatgrass	<i>Arrhenatherum elatius</i> (L.) Beauv. ex J. & K. Presl
Basket grass, small carpgrass	<i>Arthraxon hispidus</i> (Thunb.) Makino
Animated oat, wild oat	<i>Avena sterilis</i> L.
Hedge bamboo (FL)	<i>Bambusa multiplex</i> (Lour.) Raeusch. ex Schult. & Schult. f.
Common bamboo (FL and SC)	<i>Bambusa vulgaris</i> Schrad. ex J.C. Wendl.
Yellow bluestem, King Ranch bluestem	<i>Bothriochloa ischaemum</i> (L.) Keng var. <i>songarica</i> (Rupr. ex Fisch. & C.A. Mey.) Celarier & Harlan
Field brome, Japanese brome	<i>Bromus arvensis</i> L.
Rescuegrass	<i>Bromus catharticus</i> Vahl
Smooth brome	<i>Bromus inermis</i> Leyss.
Bald brome, meadow brome	<i>Bromus racemosus</i> L.
Rye brome	<i>Bromus secalinus</i> L.
Cheatgrass	<i>Bromus tectorum</i> L.
Japanese sedge	<i>Carex kobomugi</i> Ohwi
Bermudagrass	<i>Cynodon dactylon</i> (L.) Pers.
Yellow nutsedge	<i>Cyperus esculentus</i> L.
Umbrella plant	<i>Cyperus involucreatus</i> Rottb
Purple nutsedge	<i>Cyperus rotundus</i> L.
Orchardgrass	<i>Dactylis glomerata</i> L.
Kleberg's bluestem	<i>Dichanthium annulatum</i> (Forssk.) Stapf
Angleton bluestem	<i>Dichanthium aristatum</i> (Poir.) C.E. Hubbard
African couchgrass	<i>Digitaria abyssinica</i> (A. Rich) Stapf
Southern crabgrass	<i>Digitaria ciliaris</i> (Retz.) Koel
Hairy or large crabgrass	<i>Digitaria sanguinalis</i> (L.) Scop.
Barnyardgrass	<i>Echinochloa crus-galli</i> (L.) Beauv.
Indian goosegrass	<i>Eleusine indica</i> (L.) Gaertn.
Quackgrass	<i>Elymus repens</i> (L.) Gould

Invasive Grasses, Canes, and Grasslikes (continued)

Stinkgrass	<i>Eragrostis cilianensis</i> (All.) Vign. ex Janchen
Centipede grass	<i>Eremochloa ophiuroides</i> (Munro) Hack.
Limpograss	<i>Hemarthria altissima</i> (Poir.) Stapf & C.E. Hubbard
Common velvetgrass	<i>Holcus lanatus</i> L.
Darnel ryegrass	<i>Lolium temulentum</i> L.
Rose Netal grass	<i>Melinis repens</i> (Willd.) Zizka
Silkreed (FL and GA)	<i>Neyraudia reynaudiana</i> (Kunth) Keng ex Hitchc.
Rice	<i>Oryza sativa</i> L.
Torpedograss	<i>Panicum repens</i> L.
Dallisgrass	<i>Paspalum dilatatum</i> Poir.
Bahiagrass	<i>Paspalum dilatatum</i> Flueggé
Kodomillet (GA, AL, and TX) FED	<i>Paspalum scrobiculatum</i> L.
Vasey's grass	<i>Paspalum urvillei</i> Steud.
Buffelgrass	<i>Pennisetum ciliare</i> (L.) Link
African feathergrass (TX) FED	<i>Pennisetum macrourum</i> Trinius.
Crimson fountaingrass	<i>Pennisetum setaceum</i> (Forsk.) Chiov.
Timothy	<i>Phleum pratense</i> L.
Japanese timber bamboo	<i>Phyllostachys bambusoides</i> Siebold & Zucc.
Black bamboo	<i>Phyllostachys nigra</i> (Lodd. ex Lindl.) Munro
Common reed (native and introduced)	<i>Phragmites australis</i> (Cav.) Trin. ex Steud.
Speargrass	<i>Poa annua</i> L.
Canada bluegrass	<i>Poa compressa</i> L.
Kentucky bluegrass	<i>Poa pratensis</i> L.
Rough bluegrass	<i>Poa trivialis</i> L.
Itchgrass FED	<i>Rottboellia cochinchinensis</i> (Lour.) W.D. Clayton
Japanese bristlegrass	<i>Setaria faberi</i> Herrm.
Foxtail bristlegrass	<i>Setaria italica</i> (L.) P. Beauv.
Yellow bristlegrass	<i>Setaria pumila</i> (Poir.) Roem. & Schult.
Green bristlegrass	<i>Setaria viridis</i> (L.) P. Beauv.
Guineagrass	<i>Urochloa maxima</i> (Jacq.) R. Webster
Para grass	<i>Urochloa mutica</i> (Forssk.) T.Q. Nguyen
Panic liverseed grass	<i>Urochloa panicoides</i> P. Beauv.

Other Nonnative Plants Invading Southern Forest And their Margins, Openings, Waterway Margins, Wetlands, and Stream, River, and Lake Banks According to <http://www.invasive.org/south/>

States where species occur in parentheses. Species on the Federal Noxious Weed List are denoted by "FED" (continued)

Invasive Forbs

Common Name:

Rosarypea
 Japanese chaff flower
 Russian knapweed
 Common bugle
 Wild garlic
 Sessile joyweed FED
 White moneywort
 Thymeleaf sandwort
 Mugwort, common wormwood
 Onionweed FED
 Garden yellowrocket
 Clubed begonia
 Corn gromwell

Basketplant
 Sacatrapo, Texasweed
 Shepherd's purse
 Hoary cress, whitetop
 Spiny plumeless thistle
 Garden cornflower
 White knapweed
 Brown knapweed
 Maltese star-thistle
 Yellow star-thistle
 Alpine knapweed
 Lambsquarters (native and introduced)
 Mexican tea
 Rush skeletonweed
 Chicory
 Canada thistle
 Bull thistle
 Blessed thistle
 Coco yam, taro
 Benghal dayflower, tropical spiderwort FED

Scientific Name:

Abrus precatorius L.
Achyranthes japonica (Miq.) Nakai
Acroptilon repens (L.) DC.
Ajuga reptans L.
Allium vineale L. ssp. *vineale*
Alternanthera sessilis (L.) R. Br. ex DC.
Alysicarpus vaginalis (L.) DC.
Arenaria serpyllifolia L.
Artemisia vulgaris L.
Asphodelus fistulosus L.
Barbarea vulgaris Ait. f.
Begonia cucullata Willd.
Buglossoides arvensis (L.) I.M. Johnston
Callisia fragrans (Lindl.) Woods
Caperonia palustris (L.) A. St.-Hil.
Capsella bursa-pastoris (L.) Medik.
Cardaria draba (L.) Desv.
Carduus acanthoides L.
Centaurea cyanus L.
Centaurea diffusa Lam.
Centaurea jacea L.
Centaurea melitensis L.
Centaurea solstitialis L.
Centaurea transalpina Schleich. ex DC.
Chenopodium album L.

Chenopodium ambrosioides L.
Chondrilla juncea L.
Cichorium intybus L.
Cirsium arvense (L.) Scop.
Cirsium vulgare (Savi) Ten.
Cnicus benedictus L.
Colocasia esculenta (L.) Schott
Commelina benghalensis (L.) Schott

Invasive Forbs (continued)

Asiatic dayflower, common dayflower
 Poison hemlock
 Field bindweed
 Piedmont bedstraw

Common crupina FED
 Dodder (other than native or widely distributed spp.)
 Houndstongue, gypsyflower
 Jimsonweed
 Queen Anne's lace
 Deptford pink
 Fuller's teasel
 Common teasel

Cut-leaf teasel
 Indian strawberry
 Redstem stork's bill
 Leafy spurge
 Mullberryweed, hairy crabweed
 Sweet fennel
 Goatsrue
 South American mock vervain
 Fulva, common orange daylily
 Giant hogweed FED

Dames rocket
 Orange hawkweed
 Meadow hawkweed
 Common St. Johnswort
 Paleyellow iris
 Korean clover

Japanese clover
 Willowleaf lettuce
 Prickly lettuce

Commelina communis L.

Conium maculatum L.
Convolvulus arvensis L.
Cruciata pedemontana (Bellardi) Ehrend.
Crupina vulgaris Cass.
Cuscuta spp.

Cynoglossum officinale L.
Datura stramonium L.
Daucus carota L.
Dianthus armeria L.
Dipsacus fullonum L.
Dipsacus fullonum ssp. *sylvestris* (Huds.) Clapham
Dipsacus laciniatus L.
Duchesnea indica (Andr.) Focke
Erodium cicutarium (L.) L'Hér. ex Ait.
Euphorbia esula L.
Fatoua villosa (Thunb.) Nakai
Foeniculum vulgare P. Mill.
Galega officinalis L.
Glandularia pulchella (Sweet) Troncoso
Hemerocallis fulva (L.) L.
Heracleum mantegazzianum Sommier & Levier
Hesperis matronalis L.
Hieracium aurantiacum L.
Hieracium caespitosum Dumort.
Hypericum perforatum L.
Iris pseudacorus L.
Kummerowia stipulacea (Maxim.) Makino
Kummerowia striata (Thunb.) Schindl.
Lactuca saligna L.
Lactuca serriola L.

continued

Other Nonnative Plants Invading Southern Forest And their Margins, Openings, Waterway Margins, Wetlands, and Stream, River, and Lake Banks According to <http://www.invasive.org/south/>

States where species occur in parentheses. Species on the Federal Noxious Weed List are denoted by "FED". (continued)

Invasive Forbs (continued)

Common Name:	Scientific Name:
Henbit deadnettle	<i>Lamium amplexicaule</i> L.
Common nipplewort	<i>Lapsana communis</i> L.
Common motherwort	<i>Leonurus cardiaca</i> L.
Oxeye daisy	<i>Leucanthemum vulgare</i> Lam.
Yellow toadflax	<i>Linaria vulgaris</i> P. Mill.
Bird's-foot trefoil	<i>Lotus corniculatus</i> L.
Horehound	<i>Marrubium vulgare</i> L.
Black medick	<i>Medicago lupulina</i> L.
Burclover	<i>Medicago polymorpha</i> L.
White sweet clover	<i>Melilotus alba</i> Ders.
Yellow sweet clover	<i>Melilotus officinalis</i> (L.) Lam.
Melilotus, clover	<i>Melilotus</i> spp.
Miniature beefsteakplant	<i>Mosla dianthera</i> (Buch.-Ham. ex Roxb.) Maxim.
Catnip	<i>Nepeta cataria</i> L.
Scotch thistle	<i>Onopordum acanthium</i> L.
Sleepydick, Star-of-Bethlehem	<i>Ornithogalum umbellatum</i> L.
Hellroot, small broomrape FED	<i>Orobanche minor</i> Smith
Wild parsnip	<i>Pastinaca sativa</i> L.
Harmal peganum	<i>Peganum harmala</i> L.
Beefsteakplant	<i>Perilla frutescens</i> (L.) Britt.
Mascarene Island leaf-flower	<i>Phyllanthus tenellus</i> Roxb.
Chamber bitter	<i>Phyllanthus urinaria</i> L.
Narrowleaf plantain	<i>Plantago lanceolata</i> L.
Asiatic smartweed, Oriental ladysthumb	<i>Polygonum caespitosum</i> Blume
Asiatic tearthumb	<i>Polygonum perfoliatum</i> L.
Spotted ladysthumb	<i>Polygonum persicaria</i> L.
Giant knotweed	<i>Polygonum sachalinense</i> F. Schmidt ex Maxim.
Sulfur cinquefoil	<i>Potentilla recta</i> L.
St. Anthony's turnip	<i>Ranunculus bulbosus</i> L.
Fig buttercup, lesser celandine	<i>Ranunculus ficaria</i> L.
Wild radish	<i>Raphanus raphanistrum</i> L.
Cultivated radish	<i>Raphanus sativus</i> L.
Annual bastardcabbage	<i>Rapistrum rugosum</i> (L.) All.
Creeping yellowcress	<i>Rorippa sylvestris</i> (L.) Bess.

Invasive Forbs (continued)

Britton's wild petunia	<i>Ruellia caerulea</i> Leonard
Common sheep sorrel	<i>Rumex acetosella</i> L.
Curly dock	<i>Rumex crispus</i> L.
Prickly Russian thistle	<i>Salsola tragus</i> L.
Shrubby Russian thistle	<i>Salsola vermiculata</i> L.
South American skullcap	<i>Scutellaria racemosa</i> Pers.
Sicklepod	<i>Senna obtusifolia</i> (L.) Irwin & Barneby
Rattlebush, rattlebox	<i>Sesbania punicea</i> (Cav.) Benth.
London rocket	<i>Sisymbrium irio</i> L.
Twoleaf nightshade	<i>Solanum diphyllum</i> L.
Turkeyberry	<i>Solanum torvum</i> Sw.
Perennial sowthistle, field sowthistle	<i>Sonchus arvensis</i> L.
Spiny sowthistle	<i>Sonchus asper</i> (L.) Hill
Common sowthistle	<i>Sonchus oleraceus</i> L.
Slender sowthistle	<i>Sonchus tenerrimus</i> L.
Bay Biscayne creeping-oxeye, wedelia	<i>Sphagneticola trilobata</i> (L.C. Rich.) Pruski
Florida hedgenettle	<i>Stachys floridana</i> Shuttlew. ex Benth.
Common chickweed	<i>Stellaria media</i> (L.) Vill. ssp. <i>media</i>
Common chickweed	<i>Stellaria media</i> (L.) Vill. ssp. <i>pallida</i> (Dumort.) Asch. & Graebn.
Witchweed	<i>Striga asiatica</i> (L.) Kuntze
Cowpea witchweed	<i>Striga gesnerioides</i> (Willd.) Vatke
Common dandelion	<i>Taraxacum officinale</i> G.H. Weber ex Wiggers
Spreading hedgeparsley	<i>Torilis arvensis</i> (Huds.) Link
Yellow salsify	<i>Tragopogon dubius</i> Scop.
Coatbuttons	<i>Tridax procumbens</i> L.
White clover	<i>Trifolium repens</i> L.
Clover	<i>Trifolium</i> spp.
Stinging nettle (native and introduced)	<i>Urtica dioica</i> L.
Common mullein	<i>Verbascum thapsus</i> L.
Purpletop vervain	<i>Verbena bonariensis</i> L.
Brazilian vervain	<i>Verbena brasiliensis</i> Vell.
Ivyleaf speedwell	<i>Veronica hederifolia</i> L.
Garden vetch	<i>Vicia sativa</i> L.
Spiny cocklebur	<i>Xanthium spinosum</i> L.

Other Nonnative Plants Invading Southern Forest And their Margins, Openings, Waterway Margins, Wetlands, and Stream, River, and Lake Banks According to <http://www.invasive.org/south/>.

States where species occur in parentheses. Species on the Federal Noxious Weed List are denoted by "FED". (continued)

Invasive Ferns

Common Name:	Scientific Name:
Asian netvein hollyfern	<i>Cyrtomium fortunei</i> J. Sm.
Japanese false spleenwort	<i>Deparia petersenii</i> (Kunze) M. Kato
Old world climbing fern	<i>Lygodium microphyllum</i> (Cav.) R. Br.
Narrow swordfern, Boston fern	<i>Nephrolepis cordifolia</i> (L.) C. Presl
Chinese brake fern, ladder brake	<i>Pteris vittata</i> L.

Aquatic and Wetland Plants, Ferns, and Algae

Common Name:	Scientific Name:
Feathered mosquitofern (NC, FL, and LA) FED	<i>Azolla pinnata</i> R. Brown
Brazilian water-hyssop	<i>Bacopa egensis</i> (Poepp.) Pennell
Pond water-starwort	<i>Callitriche stagnalis</i> Scop.
Water sprite	<i>Ceratopteris thalictroides</i> (L.) Brongn.
Becket's water trumpet	<i>Cryptocoryne beckettii</i> Thwaites ex Trimen.
Rock snot, didymo	<i>Didymosphenia geminata</i> (alga) (Lyngbye) M. Schmidt
Brazilian egeria	<i>Egeria densa</i> Planch.
Common water hyacinth	<i>Eichhornia crassipes</i> (Mart.) Solms
Waterthyme, hydrilla FED	<i>Hydrilla verticillata</i> (L. f.) Royle
Water-poppy	<i>Hydrocleys nymphoides</i> (Humb. & Bonpl. ex Willd.) Buchenau
Indian swampweed, miramar weed FED	<i>Hygrophila polysperma</i> (Roxb.) T. Anders.
Yellow flag iris	<i>Iris pseudacorus</i> L.
Dotted duckweed, dotted duckmeat	<i>Landoltia punctata</i> (G. Mey.) D.H. Les & D.J. Crawford
Asian marshweed (FL, GA, and TX) FED	<i>Limnophila sessiliflora</i> (Vahl) Blume
Large-flower primrose-willow	<i>Ludwigia grandiflora</i> (Michx.) Greuter & Burdet spp. <i>grandiflora</i>
Creeping or six-petal water primrose	<i>Ludwigia grandiflora</i> (Michx.) Greuter & Burdet spp. <i>hexapetala</i> (Hook. & Arn.) G.L. Nesom & Kartesz
Moneywort, creeping Jenny	<i>Lysimachia nummularia</i> L.

Aquatic and Wetland Plants, Ferns, and Algae (continued)

Purple loosestrife	<i>Lythrum salicaria</i> L.
European wand loosestrife (VA only)	<i>Lythrum virgatum</i> L.
Dwarf waterclover	<i>Marsilea minuta</i> L.
Australian waterclover	<i>Marsilea mutica</i> Mett.
European waterclover	<i>Marsilea quadrifolia</i> L.
Peppermint	<i>Mentha x piperita</i> L. (pro sp.) [aquatica x spicata]
Asian spiderwort, marsh dewflower	<i>Murdannia keisak</i> (Hassk.) Hand.-Maz.
Parrots feather watermilfoil	<i>Myriophyllum aquaticum</i> (Vell.) Verdc.
Eurasian watermilfoil	<i>Myriophyllum spicatum</i> L.
Brittle waternymph	<i>Najas minor</i> All.
Watercress	<i>Nasturtium officinale</i> Ait. f.
Sacred lotus	<i>Nelumbo nucifera</i> Gaertn.
Cape Blue water-lily	<i>Nymphaea capensis</i> Thunb.
Yellow floatingheart	<i>Nymphoides peltata</i> (Gmel.) Kuntze
Duck-lettuce FED	<i>Ottelia alismoides</i> (Linnaeus) Pers.
Cuban bulrush	<i>Oxycaryon cubense</i> (Poepp. & Kunth) Lye
Common reed	<i>Phragmites australis</i> (Cav.) Trin. ex Steud.
Water lettuce	<i>Pistia stratiotes</i> L.
Curly pondweed	<i>Potamogeton crispus</i> L.
Giant arrowhead	<i>Sagittaria montevidensis</i> Cham. & Schltdl.
Waterspangles, common salvinia	<i>Salvinia minima</i> Baker
Kariba-weed, giant salvinia	<i>Salvinia molesta</i> Mitchell
Salvinia	<i>Salvinia</i> spp.
Bog bullrush	<i>Schoenoplectus mucronatus</i> (L.) Palla
Bigpod sesbania	<i>Sesbania herbacea</i> (Mill.) McVaugh
Wetlands nightshade	<i>Solanum tampicense</i> Dunal
Exotic bur-reed FED	<i>Sparganium erectum</i> L.
Water chestnut	<i>Trapa natans</i> L.
European speedwell	<i>Veronica beccabunga</i> L.